## **Product Data Sheet**



Supp	nier
------	------

Cefetra Ltd
The Lightyear Building
Glasgow Airport Business Park
Marchburn Drive
PA3 2SJ
Scotland

0141 445 5721				
Product Specifications				
Feed Stuff	Maize Gluten Feed (GMO)			
Trading Name	Maize Gluten meal feed/ Corn Gluten Meal (GMO)			
Image- Typical Image of Maize Gluten Meal *				



	**(product may vary in appearance depending on suppliers)			
Product Description	Product of the manufacture of maize starch. It is composed of bran and maize solubles. The product may also include broken maize and residues form the oil extraction of maize germs,  Other products derived from starch and from the refining or fermentation of starch products may			
	be added.			
Specification*	Crude protein- ~18-20%			
	<ul> <li>Crude fat - ~ 1.7-3.8%</li> <li>Crude fibre- ~ 6.5-7.2%</li> </ul>			
	<ul> <li>Crude fibre- ~ 6.5-7.2%</li> <li>Moisture- ~ 8.0-9.0% (*Values are not contractual)</li> </ul>			
General Use	Used in animal feed.			
Packaging &	Bulk			
Transport				
Labelling	According to EU legislation 767/2009			
Storage	Maize Gluten should be stored at an ambient –cool temperature in dry flat stores. No heat should be applied to the products as it has potential to self-ignite given combustible conditions.			
Legal Demands	The product complies with all applicable legislation. Most important elements are:  Animal Feed Legislation  Directive 2002/32/EG on undesirable substances in animal feed.  Regulation 396/2005 on maximum residue levels of pesticides in or on food or feed  Regulation (EC) No. 183/2005 concerning animal feed hygiene.  Commission Recommendation- EC 2006/576/EC  Where applicable The Animal Feed (Amendment) (EU Exit) Regulations Statutory Instruments (Scotland, England, Wales and Northern Ireland)  compliance with all EU-regulations with respect to GMO events and food/feed safety  Where applicable The Feed (Sampling and Analysis and Specified Undesirable substances) Regulations 2010. (SI for Scotland 354, Northern Ireland 323, Wales 2287 & England 2280)			
Undesirable substances	The maximum determined contents for undesirable substances in feedstuff, such as established in:			
Substances	Directive 2002/32/EG on undesirable substances in animal feed;			
	GMP+FSA; Appendix 1 (Product standards, including residue standards) recalculated to a moisture content of 12%;			
	Regulation 396/2005 on maximum residue levels of pesticides in or on food or feed.			
	CO2 is evolved as a result of the respiratory activity of the cargo. Because of the possible oxygen shortage, the hold must be ventilated and a gas measurement performed before access to the hold is permitted.			
	Specific analysis and standard tolerances			
Salmonella	Absent in 25g			
Appearance	Yellow whole grain.			



## **Product Data Sheet**

R	7-	04	ŀΑ	

Country of origin	USA, Canada
,	Health Information
Inhalation	When handled, maize meal can give off dust. Prolonged inhalation of excessive amounts of
	nuisance dusts may effect respiratory system. Prolonged or repeated exposure may result in lung
	damage.
Ingestion	No known hazards.
Eye Contact	Contact can cause irritation.
Skin Contact	Dust can cause irritation or sensitivity to skin.
Toxicological	Non-toxic product.
Information	
Occupational	None available.
exposure limits	
	Emergency first aid procedures
Ingestion	Non-toxic – dust masks should be worn.
Eye Contact	In the event of eye contact irrigate with water for at least 15 minutes. Exposure may result in
Skin Contact	mild irritation. Seek medical attention if irritation Occurs.
Inhalation	Wash effected area with soap and water. Seek medical attention if irritation develops.
Innaiation	Remove person to fresh air. Seek medical attention if symptoms develop.
Physical state	Physical properties  Solid
Appearance	Yellow/Orange whole grain, may be ground, flaked, rolled or pelleted.
Odour	Corn gluten pellets have a slight, pleasant odour. When exposed to moisture, they often release a
Ododi	strong odour and must not be stowed together with valuable, odour-sensitive products.
Flammability limits	Not known.
Transmey mines	Fire & Explosion hazard
Flash point	>60°C
Flammability	Maize Gluten, has a strong tendency to self-heat. If the temperatures measured at the cargo rise
,	to > 40°C, action must immediately be taken to reduce the temperature. If the temperatures
	exceed 60°C, an increased risk of fire must be assumed and appropriate action taken. Damage
	caused by self-heating results in considerable depreciation.
Extinguishing media	Foam, dry chemical, carbon dioxide
Explosibility	St 2
	Special firefighting procedures & precautions
	bjected to heat. Suitable extinguishing agents are dry agent, carbon dioxide and foam. Fire
	elf-contained breathing apparatus to avoid exposure to smoke and fumes.
Adequate extraction	facilities should be provided in all areas subject to dust.
Challette.	Reactivity
Stability Hazardous	Stable Will not occur.
Polymerization	Will flot occur.
Material to avoid	Moisture- Care should be taken to ensure that the surfaces are not cooled too much, to avoid the
Widterial to avoid	formation of damp boundary layers beneath the cargo surface.
Hazardous	Combustion produces CO <sup>2</sup> , CO & thick smoke.
decomposition	
products	
	Personal protection / Exposure control
Respiratory	Always ensure the work area has adequate ventilation. In case of dust formation, wear
Protection	appropriate respiratory protective equipment determined and fitted by an expert.
Skin protection	Gloves and overalls should be worn when handling.
Eye Protection	Always wear approved safety glasses when working. Full face protective shields can be worn to
	avoid contact with face. Wash stations should be provided.
Footwear	Appropriate footwear as specified by workplace requirements.
En day and 1	Environmental Protection
Environmental	Avoid excessive dust emissions.
precautions	No enocial progrations. Normal supervises of enable willows and to the time to appropriate 5
Spill or leak	No special precautions. Normal sweeping of small spillages and collection is appropriate. For
precautions Waste disposal	larger spillages mechanical scooping may be necessary (use only diesel vehicles).  Dispose spilled or contaminated material to landfill. Do not release into drains or other
waste disposal	measures.
	i ilicubulcu.
	This is for information purposes only and is not contractual



R7-04A

