

## R7-04A

# **Product Data Sheet – Animal Feeds**

Supplier		
Cefetra Ltd	5.5FF.1.0.	
The Lightyear Building		
Glasgow Airport Business Park		
Marchburn Drive		
PA3 2SJ		
Scotland		
0141 445 5721		
	Product Specifications	
	Maize/ Corn Kernels	
Trading Name	Maize  Image- Typical Image of Maize *	
G G-21	The state of the s	
Due do et De eninties	**(product may vary in appearance depending on suppliers)	
Product Description		
	separates out the husk and the cob, keeping only the kernels. Grains, Cereals- Grains of Zea mays	
Specification*	L. Ssp. mays. It may be rumen protected.	
Specification	• Dry Matter: 85%*	
	• Moisture: 12.55% – 14%*	
	• Oil: 3.0% – 3.7%*	
	• Fibre: 2.4% – 6.0%*	
	All materials are sourced through approved suppliers. Adventitious GMO content is below	
	0.9%.	
	(Values are indicative and not contractual.)	
Conoral Han	(Values are indicative and not contractual.)	
General Use	Maize has a high starch value and is used to feed a variety of animals. Maize is a good source of slow release and easily digestible starch.	
Packaging &	Bulk	
Transport		
Labelling	According to EU legislation 767/2009	
Storage	Maize should be stored at an ambient –cool temperature in dry flat stores. No heat should be	
, and the second	applied to the products as it has potential to self-ignite given combustible conditions.	
Legal Demands	The product complies with all applicable legislation. Most important elements are:	
	Animal Feed Legislation	
	Directive 2002/32/EG on undesirable substances in animal feed.	
	Regulation 396/2005 on maximum residue levels of pesticides in or on food or feed	
	Regulation (EC) No. 183/2005 concerning animal feed hygiene	
	Commission Recommendation- EC 2006/576/EC	
	Where applicable The Animal Feed (Amendment) (EU Exit) Regulations Statutory	
	Instruments (Scotland, England, Wales and Northern Ireland)	
	Where applicable The Feed (Sampling and Analysis and Specified Undesirable substances)	
	Regulations 2010. (SI for Scotland 354, Northern Ireland 323, Wales 2287 & England 2280)	
Undesirable	The maximum determined contents for undesirable substances in feedstuff, such as established	
substances	in:	
	Directive 2002/32/EG on undesirable substances in animal feed;	
	GMP+FSA; Appendix 1 (Product standards, including residue standards)	
	Regulation 396/2005 on maximum residue levels of pesticides in or on food or feed.	
	CO2 is evolved as a result of the respiratory activity of the cargo. Because of the possible oxygen	
	shortage, the hold must be ventilated and a gas measurement performed before access to the	
	hold is permitted.	



### R7-04A

### **Product Data Sheet - Animal Feeds**

Specific analysis and standard tolerances			
Salmonella	Absent in 25g		
Appearance	Yellow whole grain.		
Country of origin	French/ EU/ Black Sea origin		
	Health Information		
Inhalation	When handled, maize meal can give off dust. Prolonged inhalation of excessive amounts of		
	nuisance dusts may affect respiratory system. Prolonged or repeated exposure may result in lung		
	damage.		
Ingestion	No known hazards.		
Eye Contact	Contact can cause irritation.		
Skin Contact	Dust can cause irritation or sensitivity to skin.		
Toxicological	Non-toxic product		
Information			
Occupational	None available		
exposure limits			
	Emergency first aid procedures		
Ingestion	Non-toxic – dust masks should be worn.		
Eye Contact	In the event of eye contact irrigate with water for at least 15 minutes. Exposure may result in		
	mild irritation. Seek medical attention if irritation Occurs.		
Skin Contact	Wash effected area with soap and water. Seek medical attention if irritation develops.		
Inhalation	Remove person to fresh air. Seek medical attention if symptoms develop.		
	Physical properties		
Physical state	Solid		
Appearance	Yellow/Orange whole grain, may be ground, flaked, rolled or pelleted.		
Odour	Maize has a slight, pleasant odour. Excessively moist maize has a sour odour.		
Flammability limits	Not known		
	Fire & Explosion hazard		
Flash point	>60°C		
Flammability	Due to its oil content, particularly in freshly harvested maize, the product is prone to rancidity		
	and self-heating. If the temperature of the cargo rises above 40°C, immediate action must be		
	taken to reduce it. Should temperatures exceed 60°C, there is an increased risk of fire,		
	necessitating prompt and appropriate measures.		
	Damage caused by self-heating can lead to significant product depreciation.		
Extinguishing media	Foam or carbon dioxide		
Explosibility	ST1		
Special firefighting procedures & precautions			

The product is combustible when exposed to heat. Suitable extinguishing agents include dry powder, carbon dioxide  $(CO_2)$ , and foam.

Firefighters should wear self-contained breathing apparatus (SCBA) to prevent exposure to smoke and toxic fumes. Adequate dust extraction systems must be provided in all areas where dust may accumulate.

Water must not be used, as it can increase the risk of heating and self-combustion.

Reactivity		
Stability	Stable	
Hazardous	Will not occur.	
Polymerization		
Material to avoid	Moisture- Care should be taken to ensure that the surfaces are not cooled too much, to avoid the formation of damp boundary layers beneath the cargo surface.	
Hazardous	Combustion produces CO <sub>2</sub> , CO & thick smoke.	
decomposition		
products		
Personal protection / Exposure control		
Respiratory	Always ensure the work area has adequate ventilation. In case of dust formation, wear	
Protection	appropriate respiratory protective equipment determined and fitted by an expert.	
Skin protection	Gloves and overalls should be worn when handling.	



## R7-04A

# **Product Data Sheet – Animal Feeds**

Eye Protection	Always wear approved safety glasses when working. Full face protective shields can be worn to avoid contact with face. Wash stations should be provided.	
Footwear	Appropriate footwear as specified by workplace requirements.	
Environmental Protection		
Environmental precautions	Avoid excessive dust emissions.	
Spill or leak precautions	No special precautions. Normal sweeping of small spillages and collection is appropriate. For larger spillages mechanical scooping may be necessary (use only diesel vehicles).	
Waste disposal	Dispose spilled or contaminated material to landfill. Do not release into drains or other measures.	
This is for information purposes only and is not contractual.		