

R7-04A

Product Data Sheet

Supplier		
Cefetra Ltd		
The Lightyear Building		
Glasgow Airport Business Park		
Marchburn Drive		
PA3 2SJ		
Scotland		
0141 445 5721		
Product Specifications		

Product Specifications		
Feed Stuff	Maize Gluten Feed (GMO)	
Trading Name	Maize Gluten meal feed/ Corn Gluten Meal (GMO)	
Image- Typical Image of Maize Gluten Meal *		



**(product may vary in appearance depending on suppliers)

	(produce may vary in appearance depending on suppliers)
Product Description	Product of the manufacture of maize starch. It is composed of bran and maize solubles. The product may also include broken maize, and residues form the oil extraction of maize germs, Other products derived from starch and from the refining or fermentation of starch products may be added.
Specification*	 Crude protein-~18-20% Crude fat - ~ 1.7-3.8% Crude fibre- ~ 6.5-7.2% Moisture- ~ 8.0-9.0% (*Values are not contractual)
General Use	Used in animal feed.
Packaging & Transport	Bulk
Labelling	According to EU legislation 767/2009
Storage	Maize Gluten should be stored at an ambient –cool temperature in dry flat stores. No heat should be applied to the product as it has the potential to self-ignite given combustible conditions.
Legal Demands	 The product complies with all applicable legislation. Most important elements are: Animal Feed Legislation Directive 2002/32/EG on undesirable substances in animal feed. Regulation 396/2005 on maximum residue levels of pesticides in or on food or feed Regulation (EC) No. 183/2005 concerning animal feed hygiene. Commission Recommendation- EC 2006/576/EC Where applicable The Animal Feed (Amendment) (EU Exit) Regulations Statutory Instruments (Scotland, England, Wales and Northern Ireland) compliance with all EU-regulations with respect to GMO events and food/feed safety Where applicable The Feed (Sampling and Analysis and Specified Undesirable substances) Regulations 2010. (SI for Scotland 354, Northern Ireland 323, Wales 2287 & England 2280)
Undesirable substances	The maximum permissible contents of undesirable substances in feedstuffs are established in accordance with the following regulations and standards, recalculated to a moisture content of 12%: • Directive 2002/32/EC on undesirable substances in animal feed • GMP+FSA, Appendix 1 (Product standards, including residue standards) • Regulation (EC) No. 396/2005 on maximum residue levels of pesticides in or on food and feed
	Specific analysis and standard tolerances
Salmonella	Absent in 25g
Appearance	Yellow whole grain.
Country of origin	USA, Canada



R7-04A

Product Data Sheet

	Health Information	
Inhalation	When handled, maize meal can give off dust. Prolonged inhalation of excessive amounts of	
Timala cion	nuisance dust may affect the respiratory system. Prolonged or repeated exposure may result in	
	lung damage.	
Ingestion	No known hazards.	
Eye Contact	Contact can cause irritation.	
Skin Contact	Dust can cause irritation or sensitivity to skin.	
Toxicological	Non-toxic product.	
Information	THOM toxic product.	
Occupational	None available.	
exposure limits		
	Emergency first aid procedures	
Ingestion	Non-toxic – dust masks should be worn.	
Eye Contact	In the event of eye contact irrigate with water for at least 15 minutes. Exposure may result in	
,	mild irritation. Seek medical attention if irritation Occurs.	
Skin Contact	Wash effected area with soap and water. Seek medical attention if irritation develops.	
Inhalation	Remove individual to fresh air. Seek medical attention if symptoms develop.	
	Physical properties	
Physical state	Solid	
Appearance	Yellow/Orange whole grain, may be ground, flaked, rolled or pelleted.	
Odor	Corn gluten pellets have a slight, pleasant odor. When exposed to moisture, they often release a	
0.00	strong odor and must not be stowed together with valuable, odor-sensitive products.	
Flammability limits	Not known.	
	Fire & Explosion hazard	
Flash point	>60°C	
Flammability	Maize gluten has a strong tendency to self-heat. If the cargo temperature rises above 40°C,	
	immediate action must be taken to reduce it. Should temperatures exceed 60°C, there is an	
	increased risk of fire, requiring prompt and appropriate measures.	
	Damage resulting from self-heating can lead to significant product depreciation.	
Extinguishing media	Foam, dry chemical, carbon dioxide	
Explosibility	St 2	
,	Special firefighting procedures & precautions	
Combustible when su	bjected to heat. Suitable extinguishing agents are dry, carbon dioxide and foam.	
	se self-contained breathing apparatus to avoid exposure to smoke and fumes.	
	facilities should be provided in all areas subject to dust.	
·	·	
Water must not be u	sed as increases the potential for heating and self-combustion	
	Reactivity	
Stability	Stable	
Hazardous	Will not occur.	
Polymerization		
Material to avoid	Moisture- Care should be taken to ensure that the surfaces are not cooled too much, to avoid the	
	formation of damp boundary layers beneath the cargo surface.	
Hazardous	Combustion produces CO ₂ , CO & thick smoke.	
decomposition		
products		
	Personal protection / Exposure control	
Respiratory	Always ensure the work area has adequate ventilation. In case of dust formation, wear	
Protection	appropriate respiratory protective equipment determined and fitted by an expert.	
Skin protection	Gloves and overalls should be worn when handling.	
Eye Protection	Always wear approved safety glasses when working. Full face protective shields can be worn to	
	avoid contact with face. Wash stations should be provided.	
Footwear	Appropriate footwear as specified by workplace requirements.	
Environmental Protection		
Environmental	Avoid excessive dust emissions.	
precautions		



R7-04A

Product Data Sheet

Spill or leak	No special precautions. Normal sweeping of small spillages and collection is appropriate. For
precautions	larger spillages mechanical scooping may be necessary (use only diesel vehicles).
Waste disposal	Dispose spilled or contaminated material to landfill. Do not release into drains or other
	measures.
This is for information purposes only and is not contractual	